



Session # 9

Implementation of Differentiated Service Delivery in Côte d'Ivoire

Dr BOHOUSSOU Koffi Simplicie

Programme National de Lutte Contre le SIDA (PNLS)

7 Novembre 2018

Outline

- CQUIN Dashboard results
- Successes and challenges
- Targets and monitoring
- Next steps

Côte d'Ivoire Dashboard Results – 1

Policies

Guidelines

Diversity

Scale-Up Plan

Coordination

Community Engagement

Training

SOPs

M&E System


Facility Coverage

Patient Coverage


Quality

Impact

Côte d'Ivoire Dashboard Results – 2



Côte d'Ivoire Dashboard Results – 3



Outline

- CQUIN Dashboard results
- **Successes and challenges**
- Targets and monitoring
- Next steps

DSD Scale-up Success:

- Development of Operational Procedures for Differentiated Service Delivery for PLHIV in Côte d'Ivoire
 - Development of program and M&E tools
 - Identification of indicators for program performance monitoring



DSD Scale-up Challenge:

- Insufficient access to viral load monitoring
 - Only 29,3% (60,202/205,552) of PLHIV on ART for ≥ 12 months, had 2 consecutive VL measurements by the end of June 2018
- Insufficient consensus on the ART quantification methods for DSD at site and district level
- Monitoring and Evaluation of implementation, quality and impact of DSD is not yet integrated
 - The national M&E system for HIV doesn't yet include indicators on DSD

Outline

- CQUIN Dashboard results
- Successes and challenges
- **Targets and monitoring**
- Next Steps

DSD Targets and Monitoring

- Targets for DSD coverage for stable patients have not been defined at national level
- Performance monitoring:
 - Electronic individual patient file (SIGDEP2 – Open MRS) includes variables to determine stability sur 30% (518/1733) des sites de PEC VIH
 - District/national level electronic data base (DHIS2) doesn't include data elements/indicators on DSD
 - Excel based quarterly reports :
 - # patients on ART >1 year with 2 VL
 - # patients on ART >1 year who are stable
 - # patients for whom ART pick ups and clinical visits are spaced (3 and 6 months)

Outline

- CQUIN Dashboard results
- Successes and challenges
- Targets and monitoring
- **Next steps**

Next Steps

- Scale up routine viral load monitoring using DBS for patients at remote sites
- Disseminate national operational procedures for DSD
- Harmonize/disseminate the method for ART quantification for DSD
- Orientation of trainers and health care workers on DSD
- Define national targets for:
 - DSD coverage
 - DSD impact (Retention and VL suppression)
- Integrate reporting on DSD in the national health information system