





CQUIN Differentiated MCH Workshop

May 25-27, 2021

How can we leverage DSD for the integration of contraceptive care?

Anna Grimsrud, MPH, PhD


International AIDS Society

25 May 2021





Beyond just HIV treatment Transitioning to person-centered DSD 2.0



*New recommendation from the WHO

8.1 Integrating sexual and reproductive health services, including contraception, within HIV services

Recommendation


Sexual and reproductive health services, including contraception, may be integrated within HIV services

Leveraging DSD for HIV treatment to strengthen family planning care



http://differentiatedservicedelivery.org/Guidance/DSD-decision frameworks

Family planning care at different points of DSD for HIV treatment



http://differentiatedservicedelivery.org/Guidance/DSD-decision frameworks

"The definition of being established on ART (stability) should be applied to all populations, including those receiving second- and third-line regimens, those with controlled comorbidities, children, adolescents, pregnant and breastfeeding women and key populations."

https://www.who.int/publications/i/item/9789240023581

Women should have a choice of DSD for HIV treatment – including during the postpartum period where integration of family planning is a priority.

Building blocks of family planning care within DSD for HIV treatment models



Example: Integration of family planning care within community ART groups (CAGs), Kenya

	IUDs	Implants	Oral pills	Injectables*
WHEN	Available but not taken up	At DSD entry At DSD clinical visits At facility walk in services in between visits if contraceptive need identified	Every 3 months, aligned	Every 3 months, aligned
2 WHERE	Available but not taken up	At same facility as ART where transition to DSD initiated/ ART collected for CAG	Collect ART and FP script from same clinic room and collect from the same pharmacy	Injection given in same room as ART assessment; group member in need nominated to collect ART for others
& WHO	Available but not taken up	Implant- trained doctor, clinical officer, midwife or nurse	FP-trained clinical officer, midwife or nurse provides script	FP-trained clinical officer, midwife or nurse
™ WHAT	Available but not taken up	Implant information, counselling, insertion/ removal, management of side effects	Combined and progestin- only pills, information, counselling, script for pills, management of side effects	Injectable information, counselling, giving of injection, management of side effects *Self-injectable not yet available

Key principles for integration of contraceptive care into DSD for HIV treatment



- 1.Engage women and girls living with HIV.
- 2.Utilize DSD referral and follow up as an opportunity for continuity of family planning care.
- 3.Promote the use of long-acting reversible contraceptives among clients in differentiated ART delivery models.
- 4.Align contraceptive and ART resupplies in differentiated ART delivery models.
- 5.Integrate family planning and ART care in differentiated ART delivery models in facilities and communities.

The IAS – International AIDS Society – desk review of contraceptive coverage and method use and DSD policies in seven countries (2020)

1.1 Contraceptive coverage and method use

- Coverage of family planning
- Method mix at country level
- Data from
 - http://progress.familyplanning2020. org/measurement#core
 - National family planning strategy documents

1.2 National policy review

Policies and clinical guidelines assessed in eight countries:

- Eswatini, Ghana, Kenya, Malawi, Tanzania, Uganda, Zambia, Zimbabwe
- Review of contraceptive uptake and method mix
- Review of national DSD guidance and any recommendation for FP-HIV, FP-ART and FP-DSD integration

DSD models and contraceptive method[±] utilization

Country	DSD Models	Unmet need*	IUD	Implant	Oral pills	Injectable	S/C injectable	mCPR§
Eswatini ¹	FT; Clubs; Individual community; CAGs	15.2%	0.2%	4.6%	12.3%	29.7%	No	66.1%
Ghana ²	FT; Clubs; Individual community	31.9%	4.3%	21.6%	24.3%	38.4%	Yes	23.2%
Kenya ²	FT; Individual community; CAGs	18.6%	5.9%	18.2%	14.1%	47.9%	Yes	42.5%
Malawi ²	6 MMR; Individual community; CAGs	16.7%	1.8%	19.9%	3.8%	49.8%	Yes	48.9%
Tanzania ²	Fast track, clubs ; Individual community	26.3%	2.6%	20.7%	15.2%	36.7%	No	31.7%
Uganda ²	FT; CLADs; CDDP	30.5%	4.1%	17.3%	5.5%	51.3%	Yes	30.4%
Zambia ²	FT; Clubs; CAGS	20.9%	1.5%	17.9%	14.4%	52.8%	Yes	35.6%
Zimbabwe ²	FT; Clubs; CARGs; Individual community; Family groups	10.0%	0.8%	16.9%	56.5%	15.1%	No	50.2%

Recommendations for integration with national policies

- In all countries there was a recommendation for family planning/ART integration in ART guidelines or operational manuals:
 - Recommendation in DSD guidance: Eswatini, Ghana, Kenya, Tanzania, Uganda, Zimbabwe
 - Recommendation in clinical guidelines: Malawi



INTEGRATION OF FAMILY PLANNING WITHIN DSD FOR HIV TREATMENT MODELS

	Not specified	Alignment of clinic visit for FP and HIV	Some FP commodities MMD with ART refills	Some FP commodities integrated into specific models of DSD for HIV treatment
Angola				
Burkina Faso				
Burundi				
Cameroon				
Cote D'Ivoire				
DRC				
Eswatini*				
Ethiopia*				
Ghana*				
Guinea				
Haiti				
India				
Kenya*				
Laos				
Lesotho				
Liberia				
Malawi				
Mozambique				
Namibia				
Nepal				
Nigeria				
Papua New Guinea				
Rwanda				
Senegal				
Sierra Leone				
South Africa				
South Sudan				
Tanzania				
Togo				
Uganda*				
Zambia				
Zimbabwe*				

Key



References

Click on the ovals in the table to access the referenced policy.

Notes

Eswatini: FP included in clinical consultation for all models; oral contraceptive refills provided for same duration as ART refills in COVID policy

Ethiopia: Oral contraceptive refills provided for same duration as ART refills in COVID policy

Ghana: Injectable contraceptive aligned with ART refills

Kenya: FP commodities provided within facilitybased and healthcare workers led communitybased HIV treatment models

Uganda: FP commodities provided within community-based HIV treatment models (CDDPs and CCLADs)

Zimbabwe: FP commodities provided within facility-based adolescent HIV treatment models

https://differentiatedservicedelivery.org/Resources/Resource-Library/DSD Policy Dashboards



Poll 1

Can people in your setting access their contraceptive pills or depot in their DSD model?

Poll 2

For those receiving 6-month ART refills, are long-acting contraceptive methods (implant and IUD) offered?