





CQUIN Differentiated MCH Workshop

May 25-27, 2021

FAMILY CENTRED DIFFERENTIATED MODEL OF CARE_PAMA CARE

Dr Immaculate Mutisya
Public Health Specialist, CDC ,Kenya



HIV Learning Network
The CQUIN Project for Differentiated Service Delivery

Disclosure


- Conflicts of interest: I declare that I have no scientific, financial, or professional conflicts of interest.
- The findings and conclusions in this presentation are those of the authors and do not necessarily represent the official position of the funding agency


What is PAMA care?




- Family centered differentiated model of care for children and their caregivers
- *Pairing child care with the father 'PAPA' or mother 'MAMA'
- Child Caregiver pairs
 - ✓ Paired clinic appointments
 - ✓ Spaced out clinic appointments for those that are stable
 - ✓ Fast track drug refills
 - ✓ Intensified support 'joint' care for viraemic pairs

Family centered Differentiated care: Papa and Mama Care [PAMA]






PAMA CARE Implementation Process




Key considerations for PAMA care differentiated model and Multi-month dispensing of care

	Child 0-14 years	Adolescents	Comments
Individual factors	Age above 1 year	Operation Triple Zero (OTZ) champions and post disclosure support	
Family status	An parent/guardian receiving multi-month dispensing	A parent/guardian receiving multi- month dispensing	Some children will not have biological parents
Nutritional status	Normal W/A Z score for age	Normal BMI or BMI Z score	
ART regimen	Current Regimen for the last 12 mo	Current Regimen for the last 12mo	Preferably on a Single doing regimen or FDC
Viral load	latest VL < 1000 copies /ml	Latest 2 VL < 1000 copies /ml	For newly enrolled at least the 6mo and annual viral load
The CQUIN MCH Workshop May 25-27, 2021			


PAMA care differentiated model of care MMD 3 Scale up




Outcome: Scale up





Outcome: Stable Child-caregivers Pairs






Outcome: Unstable Child-caregivers Pairs





Differentiated care for PAMA care Unstable: Video Directly observed therapy



Conclusion

- Child –caregiver pair follow up provides an opportunity for family centred care
- PAMA provides an avenue to provide intensified support for stable and unstable child-caregiver pairs

Acknowledgements

- PAMA Care child –caregiver pairs
- Facility staff
- CDC Implementing Partners
- CDC_Kenya_ HSDB
- CDC-HQ