

## Differentiated Service Delivery for Key Populations

Virtual Meeting: August 25-26 and 30-31, 2021

### Guideline Development and Key Priority Issues

Adeolu Adebiyi

West Africa Commission on Drugs/YouthRISE Nigeria

30 August 2021





### Outline

- Definition
- Key issues for consideration
- Service Package and Level of Provision
- Case-Study: YouthRISE Nigeria
- Q/A

### Definition

• Differentiated service delivery has been defined as "<u>a</u> <u>client-centred approach that simplifies and adapts HIV services across the cascade, in ways that both serve the needs of people living with HIV better and reduce unnecessary burdens on the health system" (ref.IAS)</u>

#### DSD for PWUD: Key issues for consideration in Guideline Development

- For DSD, PLHIV are broadly classified into Stable and Unstable for the purposes of streamlining services
- This broad classification is not often suited for key populations, especially PWUDs for the following reasons:
- Stigmatization and Discrimination
- Legal environment (criminalisation)
- High mobility while health facilities are static
- Peculiarity of ancillary services required by PWUDs such as legal aid support, GBV intervention, MHPSS- these are necessary incentives for service uptake and retention in care
- Poor health seeking behaviour that seek alternative to facility-centered

## Service Package and Level of Provision

WHERE	Community Leve		Facility Level				
WHO	CART	FSP	OSS	DIC	СР	Peer Support group	НСР
Services							
HTS	✓	✓	✓	✓	V		✓
ART enrolment/Initiation	✓	✓	✓	✓			✓
ARV refills(2, 3,6 MMD)	✓	✓	✓	✓	✓	✓	✓
STI screening /diagnosis	✓	✓	✓	✓	✓	✓	✓
IPT/TPT/CPT	✓	✓	✓	✓	✓	✓	✓
<b>GBV</b> intervention			✓	✓			
Legal support services			✓				
Harm reduction (NSP, Overdose &,wound management)	✓	✓	✓	✓	✓	✓	✓
Harm Reduction (OST)							✓
Hepatitis screening	✓	✓	✓	✓		✓	✓
TB screening	✓	✓	✓	✓	$\checkmark$	✓	✓
Cervical cancer screening			✓			✓	✓
PMTCT (ART)			✓	✓		✓	✓
PMTCT (ANC)						✓	✓
HIV exposed infant prophylaxis/						✓	✓
EID							

# Case-Study: YouthRISE Nigeria

		1st 95			2nd 95					3rd 95			
DSD Service	Before	Aft	ter	% change	Before	Δ	fter		% change	Before	After	% cha	ange
HTS (mobile)		30%	300%	270%									
HTS (OSS) walk-in		10%	25%	15%									
Sero-positivity yield		1%	6%	5%									
Mobile enrolment		18%	90%	72%									
home based care/mobile refill					1	13%		80%	67%				
mobile sample collection										13%	<sup>6</sup> 79	%	66%
Viral load suppression													
Sti screening and treatment		30%	300%	270%									
NSP- DIC		2%	5%	3%									
Mobile NSP		35%	70%	35%									
Overdose management		17%	46%	29%									
Wound care		0%	27%	27%									
Cervical cancer screening													
(OSS/Supp grp)		0	70%	70%									
TB screening		30%	300%	270%									
Hepatitis screening		30%	300%	270%									
									ANCILLARY SERVICES				
					Before		Af	fter % Ch		Change			
GBV case finding reporting &													
management						10%	6		63	3%		53%	
GBV Legal intervention						2%	)		29	9%		27%	6
GBV OSS intervention						8%	)		71	%%		53%	

## Question

