



Differentiated Service Delivery for Key Populations

Virtual Meeting: August 25-26 and 30-31, 2021

Global Response: Monitoring and Evaluation

Keith Sabin

Senior Adviser - Epidemiology, UNAIDS

26 August 2021



HIV Learning Network
The CQUIN Project for Differentiated Service Delivery




Key populations: Who are they?

- Men who have sex with men
- People who inject drugs
- Transgender women
- Sex workers
- Prisoners and people in closed settings




Risk of HIV acquisition among key populations

The number of times greater risk of acquiring HIV when compared to people 15-49 years of age.




Improvements in HIV incidence are not evident among some key populations

Incidence trend, Men who have sex with men
Global, 2010-2020



Where were the new HIV infections in 2020?



New Global HIV Strategy

- Puts people at the centre of the response
- Addresses intersecting inequalities that obstruct progress
- Continues to set ambitious targets toward ending AIDS



Measuring against targets

KEY POPULATIONS	Sex workers	Gay men and other men who have sex with men	People who inject drugs	Transgender people	Prisoners and others in closed settings
Condoms/lube use at last sex by those not taking PrEP with a non-regular partner whose HIV viral load status is not known to be undetectable (includes those who are known to be HIV-negative)	--	95%	95%	95%	--
Condom/lube use at last sex with a client or non-regular partner	90%	--	--	--	90%
PrEP use (by risk category)					
• Very high	80%	50%	15%	50%	15%
• High	15%	15%	5%	15%	5%
• Moderate and low	0%	0%	0%	0%	0%
Sterile needle and syringes	--	--	90%	--	90%
Opioid substitution therapy among people who are opioid dependent	--	--	50%	--	--
STI screening and treatment	80%	80%	--	80%	--
Regular access to appropriate health system or community-led services	90%	90%	90%	90%	100%
Access to PEP as part of package of risk assessment and support	90%	90%	90%	90%	90%



Prevention is varied, choice is emphasized

I occasionally have sex with a non-regular partner. When I do, I use **condoms**



I have an active sex life with multiple partners. I use **PrEP**



My stable partner is living with HIV. He is on ART and has a **suppressed viral load**



I sell sex. I prefer to use **condoms** because they also prevent STIs. But sometimes I cannot negotiate condom use. So I also use **PrEP**



I inject drugs. I use **sterile needle-syringes**




In-Progress Advances for M&E


- Developing sustainable bio-behavioral data collection systems, emphasizing programme data use
- Working with key population communities to lead both monitoring and surveillance activities
- Analyzing impact of the “uncounted”
 - Estimates more than 30 million people missing from key population size estimates [Preliminary estimates]





UN Political Declaration affirms UNAIDS Role

- Global AIDS Monitoring system will be modified to meet the new strategy next year



 **UNAIDS** Online Reporting Tool English ▾

[Home](#) [Login](#) [Registration](#)

Welcome to GAM Online Reporting Tool!

Opening of the reporting tool: 22 February 2021.
The 31st of March 2021 is the deadline for countries to submit the Global AIDS Monitoring data on 2020. This data and subsequent global reports will hold the world accountable on how the targets were met from 2010 to 2020, and assess progress towards ending AIDS as a public health threat by 2030.

New user? [Please register.](#)
Returning user? [Please login.](#)

Then, go to the [Indicator list](#).

