


Differentiated service delivery: the PEPFAR perspective

Katy Godfrey, Office of the Global AIDS Coordinator

CQUIN 6th Annual Meeting

December 6 – 9, 2022 | Durban, South Africa



Treatment Priorities

- Continuity of treatment: viral suppression!
- Improve mortality
- Improve “health-span”: the period of life spent in good health, free from the chronic diseases and disabilities of aging




Differentiated service delivery and MMD

- Separation of drug delivery and clinical care
- All individuals should have the option of 3 months, preferably 6 months of drug
- Decentralized delivery – use of other pick-up points besides clinic pharmacy
- Delivery of other required meds including ARVs
 - ✓ HIV-related: Cotrimoxazole, TPT
 - ✓ Non-HIV related: PEPFAR supports the delivery of other meds in setting of COVID-19


Accelerated uptake of MMD across PEPFAR

Number and proportion of all ART clients on MMD in 21 PEPFAR supported countries, (Oct 2019- Dec 2021)



Change to MMD not associated with decline in VLS

PEPFAR trends in MMD, viral load coverage (VLC) & viral load suppression (VLS)



19 YEARS OF SAVING LIVES THROUGH AMERICAN GENEROSITY AND PARTNERSHIPS

HIV Learning Network

The CQUIN Project for Differentiated Service Delivery



Thank you!

