

## Understanding Advanced HIV Disease Demand Generation

Mr. Fred Chungu Network of Zambian People Living with HIV

**CQUIN 6<sup>th</sup> Annual Meeting** December 6 – 9, 2022 | Durban, South Africa



- 1. Framing remarks
- 2. AHD Video
- 3. Panel Discussions



HIV Learning Network The CQUIN Project for Differentiated Service Delivery



# Framing Remarks





- To address critical gaps in understanding AHD service delivery among RoC
- To determine the best strategic approaches to scale up AHD advocacy within the CQUIN CAN member countries



#### **Background and rationale**

- A significant proportion of patients continue to present with advanced HIV disease
- People starting ART with advanced HIV disease have high mortality particularly in the first six months following ART initiation
- Major causes of death include co-infections such as TB, severe bacterial infections, and cryptococcal meningitis
- WHO guidelines include individual recommendations for diagnosis, prophylaxis and treatment
- Recent studies have assessed the potential for an enhanced package of interventions to reduce mortality/morbidity which are being adapted by CQUIN member countries



A package of interventions including screening, treatment and/or prophylaxis for major opportunistic infections, rapid ART initiation\* and intensified adherence support interventions should be offered to everyone presenting with advanced HIV disease.

Strong recommendation, moderate-quality evidence

\* linked recommendation



#### Role of Civil Society Organizations

- Civil society organizations and communities should be continuously engaged by countries, funders and WHO in all decision-making processes
- Global health funders should support HIV CSOs with funding to enable them to better hold stakeholders to account to remove access barriers to screening and treatment of cryptococcal meningitis



#### Role of Civil Society Organizations

- Civil society organizations and communities should increase awareness, create demand, monitor availability of and access to L-AmB access at facility levels.
- Civil society organizations should integrate into their advocacy work not only HIV, but also advanced HIV disease, cryptococcal meningitis and access barriers to WHO-recommended treatments including L-AmB and flucytosine





## AHD Advocacy Resources



CHAI website with AHD resources:

 AHD Social Media Campaign resources developed by Community Advisory Board (CAB) members:

https://www.newhivdrugs.org/post/ahd-social-media-campaign

 AHD Community Advocacy Video developed by Community Advisory Board (CAB) members:

https://www.newhivdrugs.org/post/ahd-community-advocacy-video

### [Play video]



HIV Learning Network The CQUIN Project for Differentiated Service Delivery



### Panel Discussion



- Nelson Otwoma, NEPHAK, Kenya
- Lindiwe Similane, SASO, Eswatini
- Nkechi Okoro, NEPHWAN, Nigeria



HIV Learning Network The CQUIN Project for Differentiated Service Delivery



# Thank you!

